




“Combining Graphical and Analytical Methods with Molecular Simulations to Analyze Time-resolved FRET-measurements of Labeled Macromolecules Accurately”, **Thomas-O. Peulen**, Oleg Opanasyuk, Claus A.M. Seidel, **2017**, Journal of Physical Chemistry B ([link](#))




“Quantitative FRET studies and integrative modelling unravel the structure and dynamics of biomolecular systems”, M. Dimura, **T.-O. Peulen**, C. A. Hanke, A. Prakash, H. Gohlke, and C. A. Seidel, **2016**, Current Opinion in Structural Biology, 40, 163-185. ([link](#))




“Structural assemblies of the di- and oligomeric G-protein coupled receptor TGR5 in live cells: an MFIS-FRET and integrative modelling study”, Annemarie Greife, Suren Felekyan, Qijun Ma, Christoph GW Gertzen, Lina Spomer, Mykola Dimura, **Thomas-O. Peulen**, Christina Wöhler, Dieter Häussinger, Holger Gohlke, Verena Keitel, Claus AM Seidel, **2016**, Scientific Reports, 6, 36792. ([link](#))




“Guanylate binding proteins, (GBPs) 1 directly attack *T. gondii* via supramolecular complexes”, E. Kravets, D. D., Q. Ma, **T.-O. Peulen**, S. Felekyan, R. Kühnemuth, S. Weidtkamp-Peters, C. Seidel, and K. Pfeffer, **2016**, eLife, e11479.



“Triphosphate induced dimerization of human guanylate binding protein 1 involves association of the C-terminal helices: A joint Double Electron-Electron Resonance and FRET study”, T. Vöpel, C. Hengstenberg, **T.-O. Peulen**, A. Y., C. Seidel, C. Herrmann, and J. Klare, **2014**, *Biochemistry*, 53, 4590-4600.



“A toolkit and benchmark study for FRET-restrained high-precision structural modelling”, Stanislav Kalinin, **Thomas-O. Peulen**, Simon Sindbert, Paul J Rothwell, Sylvia Berger, Tobias Restle, Roger S Goody, Holger Gohlke, Claus AM Seidel, **2012**, *Nature Methods*, 9, 1218.



["Diffusion of nanoparticles in a biofilm"](#), **T.-O. Peulen** and K. J. Wilkinson, **2011**, *Environmental Science & Technology*, 45, 3367-3373.

